Qty:

Date:

Wednesday, 1/4/2006 2:37:02 PM

User:

Kim Johnston

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number : 25393

Estimate Number P.O. Number

: 10987

This Issue

: NIA

: 1/4/2006

: NC

: MIA : NIA

S.O. No. : NA

: SMALL /MED FAB

Part Number

Drawing Name

Drawing Number

: D2565409 : D2565 REV E

: STRUT

Project Number

: N/A

Drawing Revision Material

: E : NIA

Due Date

: 1/20/2006

8 Um:

Each

Written By

Prsht Rev.

First Issue

Previous Run

Checked & Approved By

: SEE COMMENT BEIOW : SHE ABOVE DATE & USER.

Comment

: Est:A 04.05.10 New Issue KJ/JLM

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

304 RD Tube .750 x .049W

M304TR0750W049 1.0

Comment: Qty.: 0.9048 f(s)/Unit Total: 7.2383 f(s)

Material: 304/316 SS tubing 0.750" Dia. x 0.049" wall

(M304TR0750W049)

Batch No:

06.01.12

2.0

BRAKE NC

NC BRAKE

Comment: BRAKE NC

Punch as per Dwg D2565 using DT 8313

06.01.12

3.0

SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1






Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr

QC5

INSPECT WORK TO CURRENT STEP



4.0





8

Comment: INSPECT WORK TO CURRENT STEP

5.0

POWDER COATING

POWDER COATING



Comment: POWDER COATING

Powder Coat White (Ref: 4.3.5.2) as per QSI 005 4.3



Dart Aerospace Li

W/O:		WORK ORDER CHANGES							
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
		·							
							Í		
:									
5.									
						-			
	1				I				

Part No:		_ PAR #:	Fault Category:	NCR: Yes No DQA.	Date: Octop/2
	* .			QA: N/C Closed:	Date:

NCR:			WORK OR	DER NON-CONFORMANC	E (NCR)					
		Description of NC		Corrective Action Section B		Verification	Varification A	Annroyal		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector		
						1				
		* *								
		* .								
							,			
	,					}				

NOTE: Date & initial all entries

Wednesday, 1/4/2006 2:37:02 PM Date: User: Kim Johnston **Process Sheet Drawing Name: STRUT** Customer: CU-DAR001 Dart Helicopters Services Job Number: 25393 Part Number: D2565409 Job Number: Seq. #: Description: Machine Or Operation: INSPECT POWDER COAT/CHEMICAL CONVERSION 6.0 QC3 02 20 Comment: INSPECT POWDER COAT 7.0 PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock 5/187 Location:_ DC 8.0 Comment: DOCUMENT CONTROL Suc 06/02/ Inspection Level 21 Job Completion

	Dart	Aer	osp	ace	Ltd
--	------	-----	-----	-----	-----

W/O:		WORK ORDER CHANGES	Ry Date Oty Approval Approval				
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
					}		
Part No		PAR #· Fault Category: NCF	2. Vec	No DO	Δ.	Date:	

Part No:	PAR #:	Fault Category:	NCR: Yes No	DQA:	_ Date: _	
*	÷		QA: N/C	Closed:	Date:	

		WORK ORD	ER NON-CONFORMANC	E (NCR)					
	Description of NC		Varification	Annessal	A				
STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspecto		
	·			i					
·									
				·					
	STEP	STED Description of NC	STEP Description of NC Section A Initial	STEP Description of NC Section A Initial Chief Eng Corrective Action Section B Action Description Chief Eng	STEP Description of NC Section A Corrective Action Section B Initial Action Description Chief Eng Chief En	STEP Section A Initial Action Description Sign & Date Section C	STEP Description of NC Section A Corrective Action Section B Verification Section C Chief Eng Ch		

NOTE: Date & initial all entries






E

04.05.05

DESIGN CHECKED		N-44	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
		KED M	APPROVED	DRAWING NO. REV. E
		#	111	D2565 SHEET 1 OF 1
	DATE		·	TITLE SCALE
	04.0	05.05		STRUT 1:3
	Α		96.05.03	NEW ISSUE
	В		97.03.15	CORRECT D2565-111 DIM. A
	С		98.10.05	UPDATED MATERIAL NOTE (TSR A603)
	D		02.06.05	ADD -3XX PARTS; ADD FINISH



A B
DIA 0.257 TO BE PUNCHED
DIA 0.257 TO BE PUNCHED — "C" DIA TO BE OPENED MANUALLY PUNCH ENDS PER SPEC CONTROL DRAWING D2638 —

			*
PART #	Α	В	DIA C
D2565-101	20.52	19.72	0.316
D2565-103	18.21	17.41	0.316
D2565-105	20.19	19.39	0.316
D2565-107		12.63	-
D2565-109	12.31	11.51	_
D2565-111	13.65	12.85	
D2565-201	22.79	22.00	
D2565-203		19,95	
D2565-205	21.22	20.42	0.316
D2565-207	16.07	15.27	
D2565-209	15.16	14.36	
D2565-211	14.14	13.34	-
D2565-301			0.316
D2565-303	25.34	24.54	0.316
D2565-305	23.73	22.93	0.316
D2565-307	20.86	20.06	
D2565-309	20.17	19.37	_
D2565-311	16.30	15.50	_
D2565-401	18.29		0.316
D2565-403	15.64	14.84	0.316
D2565-405	19.45	18.65	0.316
D2565-407	10.79	9.99	_
D2565-409	9.34	8.54	
D2565-411	13.81	13.01	<u></u>

ADD D2565-401-411; RMV ANGLE D

He land ENGINEERIN

GENERAL NOTES

1) MATERIAL: AISI 304/316/318 SS 0.750 OD X 0.049 WALL (REF DART SPEC. M304TR0.750W0.049)

ENSURE SEAMLESS TUBE IS USED

2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3 3) TOLERANCES PER DART QSI 018 UNLESS OTHERWISE NOTED 4) ALL DIMENSIONS ARE IN INCHES

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

UNICONTRO" C

ENBUECT TO

WITE YO